

## SL18 30 Series Semi Locating Full Complement Cylindrical Roller Bearings

Bearing Reference	Dimensions			Load Rating		Mass Kg	Interchange
	Bore	O D	Width	Dynamic	Static		
SL18 3020	100	150	37	220000	320000	2.20	NCF 3020
SL18 3022	110	170	45	290000	410000	3.50	NCF 3022
SL18 3024	120	180	46	305000	450000	3.80	NCF 3024
SL18 3026	130	200	52	430000	625000	5.70	NCF 3026
SL18 3028	140	210	53	450000	685000	6.10	NCF 3028
SL18 3030	150	225	56	475000	720000	7.40	NCF 3030
SL18 3032	160	240	60	535000	830000	8.80	NCF 3032
SL18 3034	170	260	67	700000	1075000	12.20	NCF 3034
SL18 3036	180	280	74	805000	1260000	16.10	NCF 3036
SL18 3038	190	290	75	820000	1320000	17.00	NCF 3038
SL18 3040	200	310	82	940000	1525000	21.80	NCF 3040
SL18 3044	220	340	90	1130000	1825000	28.40	NCF 3044
SL18 3048	240	360	92	1190000	2000000	30.90	NCF 3048
SL18 3052	260	400	104	1700000	2805000	44.50	NCF 3052
SL18 3056	280	420	106	1755000	2945000	48.00	NCF 3056
SL18 3060	300	460	118	2165000	3710000	66.60	NCF 3060
SL18 3064	320	480	121	2215000	3890000	71.70	NCF 3064
SL18 3068	340	520	133	2560000	4400000	95.80	NCF 3068
SL18 3072	360	540	134	2615000	4610000	101.00	NCF 3072
SL18 3076	380	560	135	2695000	4820000	106.00	NCF 3076
SL18 3080	400	600	148	3025000	5450000	140.00	NCF 3080

## SL18 49 Series Semi Locating Full Complement Cylindrical Roller Bearings

Bearing Reference	Dimensions			Load Rating		Mass Kg	Interchange
	Bore	O D	Width	Dynamic	Static		
SL18 4920	100	140	40	170000	370000	2.00	NNCF 4920
SL18 4922	110	150	40	180000	405000	2.20	NNCF 4922
SL18 4924	120	165	45	220000	475000	3.00	NNCF 4924
SL18 4926	130	180	50	250000	550000	4.00	NNCF 4926
SL18 4928	140	190	50	285000	635000	4.20	NNCF 4928
SL18 4930	150	210	60	420000	900000	6.70	NNCF 4930
SL18 4932	160	220	60	440000	975000	7.00	NNCF 4932
SL18 4934	170	230	60	445000	1025000	7.40	NNCF 4934
SL18 4936	180	250	69	570000	1305000	10.80	NNCF 4936
SL18 4938	190	260	69	590000	1370000	11.20	NNCF 4938
SL18 4940	200	280	80	690000	1585000	15.80	NNCF 4940
SL18 4944	220	300	80	715000	1710000	17.20	NNCF 4944
SL18 4948	240	320	80	750000	1875000	18.50	NNCF 4948
SL18 4952	260	360	100	1090000	2665000	32.00	NNCF 4952
SL18 4956	280	380	100	1130000	2860000	34.00	NNCF 4956
SL18 4960	300	420	118	1625000	3960000	53.00	NNCF 4960
SL18 4964	320	440	118	1695000	4280000	56.00	NNCF 4964
SL18 4968	340	460	118	1730000	4495000	59.00	NNCF 4968
SL18 4972	360	480	118	1785000	4710000	62.10	NNCF 4972
SL18 4976	380	520	140	2265000	5925000	92.40	NNCF 4976
SL18 4980	400	540	140	2310000	6215000	96.50	NNCF 4980
SL18 4984	420	560	140	2385000	6505000	100.00	NNCF 4984
SL18 4988	440	600	160	3070000	8185000	138.00	NNCF 4988
SL18 4992	460	620	160	3125000	8390000	142.00	NNCF 4992
SL18 4996	480	650	170	3425000	9260000	167.00	NNCF 4996
SL18 49/500	500	670	170	3490000	9710000	174.00	NNCF 49/500

## SL19 23 Series Semi Locating Full Complement Cylindrical Roller Bearings

Bearing Reference	Dimensions			Load Rating		Mass Kg	Interchange
	Bore	O D	Width	Dynamic	Static		
SL19 2315	75	160	55	410000	495000	5.30	NJG 2315
SL19 2316	80	170	58	475000	585000	6.40	NJG 2316
SL19 2317	85	180	60	505000	640000	7.40	NJG 2317
SL19 2318	90	190	64	550000	685000	8.90	NJG 2318
SL19 2319	95	200	67	580000	750000	10.20	NJG 2319
SL19 2320	100	215	73	695000	890000	13.00	NJG 2320
SL19 2322	110	240	80	990000	1270000	17.00	NJG 2322
SL19 2324	120	260	86	1055000	1395000	22.30	NJG 2324
SL19 2326	130	280	93	1195000	1605000	28.00	NJG 2326
SL19 2328	140	300	102	1265000	1750000	35.50	NJG 2328
SL19 2330	150	320	108	1375000	1965000	42.50	NJG 2330
SL19 2332	160	340	114	1500000	2155000	50.00	NJG 2332
SL19 2334	170	360	120	1745000	2465000	59.50	NJG 2334
SL19 2336	180	320	86	1835000	2670000	69.50	NJG 2336
SL19 2340	200	420	138	2380000	3450000	92.00	NJG 2340
SL19 2348	240	500	155	2920000	4525000	147.00	NJG 2348

## Max Load Roller Bearings With Extended & Notched Inner Race

Bearing Reference	Dimensions						Interchange	
	Bore	O D	Width	Roller Dia	Notch Width	Notch Depth	Hyatt	Pollard
130 WM / 30379	1 1/8	62	1 1/8	2 1/2	17/64	1/4	TW 99206	FLWNS 1 1/8
130 WM / 30423	1 3/16	62	1 1/8	2 1/2	17/64	1/4	TXW 99206	
135 M / 30395	1 1/4	72	1 15/16	2 1/2	21/64	9/32	TX 99207	
135 WM / 30395	1 1/4	72	1 3/16	2 1/2	21/64	9/32	TXW 99207	FLWXS 1 1/4
135 WM / 30335	1 3/8	72	1 3/16	2 1/2	21/64	9/32	TW 99207	FLWNS 1 3/8
135 WM / 30413	1 7/16	72	1 3/16	1 7/16	25/64	9/32	TYW 99207	FLWYS 1 7/16
140 WM / 30396	1 1/2	80	1 3/8	2 1/2	25/64	5/16	TXW 99208	FLWXS 1 1/2
140 WM / 30429	1 9/16	80	1 3/8	2 1/2	25/64	5/16	TYW 99208	
140 WM / 30385	1 5/8	80	1 3/8	2 3/4	25/64	5/16	TW 99208	FLWNS 1 5/8
145 WM / 30418	1 11/16	85	1 9/16	1 13/16	23/64	9/32	TXW 99209	FLWXS 1 11/16
150 WM / 30412	1 15/16	90	1 3/4	2	33/64	9/32	TXW 99210	FLWXS 1 15/16
155 WM / 30417	2 3/16	100	1 13/16	2 1/8	41/64	11/32	TXW 99211	FLWXS 2 3/16
160 WM / 30415	2 1/4	110	1 15/16	3 1/2	41/64	11/32	TW 99212	FLWNS 2 1/4
160 WM / 30419	2 5/16	110	1 15/16	2 1/4	41/64	11/32	TXW 99212	FLWXS 2 5/16
165 WM / 30408	2 7/16	120	2 1/16	2 3/8	41/64	11/32	TXW 99213	FLWXS 2 7/16
165 WM / 30416	2 1/2	120	2 1/16	3 1/2	41/64	11/32	TW 99213	FLWNS 2 1/2
165 M / 30421	2 11/16	120	1 1/2	2 3/8	41/64	11/32	TY 99213	
165 WM / 30421	2 11/16	120	2 1/16	2 3/8	41/64	11/32	TWY 99213	
175 WM / 30406	2 15/16	130	2 5/8	2 15/16	49/64	11/32	TXW 99215	FLWXS 2 15/16
175 WM / 30394	3	130	2 5/8	3 3/8	49/64	11/32	TW 99215	FLWNS 3
180 M / 30398	3 1/4	140	1 13/16	3 3/8	57/64	11/32	T 99216	
190 WM / 30407	3 7/16	160	2 13/16	3 1/8	1 1/64	11/32	TXW 99218	FLWXS 3 7/16
190 M / 30400	3 3/4	160	2 1/16	4 3/8	1 1/64	3/8	T 99218	FLNS 3 3/4
190 WM / 30400	3 3/4	160	2 13/16	4 3/8	1 1/64	3/8	TW 99218	FLWNS 3 3/4
200 M / 30409	3 15/16	180	2 5/16	3 5/8	1 1/64	3/8	TX 99220	FLXS 3 15/16
200 WM / 30409	3 15/16	180	3 1/4	3 5/8	1 1/64	3/8	TXW 99220	FLWXS 3 15/16
200 M / 30401	4	180	2 5/16	4 3/8	1 1/64	3/8	T 99220	FLNS 4
200 WM / 30401	4	180	3 1/4	4 3/8	1 1/64	3/8	TW 99220	FLWNS 4

## Max Load Roller Bearings With Extended & Notched Inner Race

Bearing Reference	Dimensions						Interchange	
	Bore	O D	Width	Roller Dia	Notch Width	Notch Depth	Hyatt	Pollard
210 M / 30410	4 7/16	200	2 9/16	3 7/8	1 9/64	3/8	TX 99222	FLXS 4 7/16
210 WM / 30410	4 7/16	200	3 1/2	3 7/8	1 9/64	3/8	TXW 99222	FLWXS 4 7/16
210 M / 30402	4 1/2	200	2 9/16	4 3/8	1 9/64	3/8	T 99222	FLNS 4 1/2
210 WM / 30402	4 1/2	200	3 1/2	4 3/8	1 9/64	3/8	TW 99222	FLWNS 4 1/2
230 M / 30414	4 15/16	230	3 1/8	4 5/8	1 9/64	3/8	T 99226	FLXS 4 15/16
230 WM / 30414	4 15/16	230	4 1/4	4 5/8	1 9/64	3/8	TXW 99226	FLWXS 4 15/16
240 M / 30411	5 7/16	250	3 1/4	5 1/8	1 25/64	3/8	T 99228	FLXS 5 7/16
240 WM / 30411	5 7/16	250	4 3/4	5 1/8	1 25/64	3/8	TXW 99228	FLWXS 5 7/16
250 M / 30425	5 15/16	270	3 1/2	5 3/8	1 25/64	7/16	T 99230	FLXS 5 15/16
250 WM / 30425	5 15/16	270	4 3/4	5 3/8	1 25/64	7/16	TW 99230	FLWXS 5 15/16
260 M / 30426	6 7/16	290	3 7/8	5 1/2	1 33/64	7/16	T 99232	FLXS 6 7/16
260 WM / 30426	6 7/16	290	4 7/8	5 1/2	1 33/64	7/16	TW 99232	FLWXS 6 7/16
280 WM / 30427	6 15/16	320	5 7/8	6 1/2	1 33/64	7/16	TW 99236	FLWXS 6 15/16
300 M / 30428	7 1/2	340	4 3/4	7 1/2	1 33/64	7/16	TS 99240	FLXS 7 1/2
300 WM / 30428	7 1/2	340	6 7/8	7 1/2	1 33/64	7/16	TSW 99240	FLWXS 7 1/2

## Max Load Roller Bearings With Inner Race

Bearing Reference	Dimensions			Load Rating		Interchange		
	Bore	O D	Width	Roller Dia	Dynamic	Static	Hyatt	Pollard
130	30	62	13/16	5/16	39000	54000	206	FLS 30
130 W	30	62	1 1/8	5/16	55000	83000	W 206	FLWS 30
135	35	72	15/16	3/8	55000	76000	207	FLS 35
135 W	35	72	1 3/16	3/8	70000	104000	W 207	FLWS 35
140	40	80	1	3/8	62000	93000	208	FLS 40
140 W	40	80	1 3/8	3/8	85000	138000	W 208	FLWS 40
145	45	85	1 1/8	3/8	73000	118000	209	FLS 45
145 W	45	85	1 9/16	3/8	99000	174000	W 209	FLWS 45
150 N	50	90	7/8	3/8	61000	95000	N 210	FLNS 50
150	50	90	1 1/4	3/8	87000	150000	210	FLS 50
150 W	50	90	1 3/4	3/8	120000	226000	W 210	FLWS 50
150 DR	50	90	3 1/2	3/8	205000	425000	D 210	FLDS 50
155 N	55	100	1	7/16	71000	107000	N 211	FLNS 55
155	55	100	1 5/16	7/16	95000	155000	211	FLS 55
155 W	55	100	1 13/16	7/16	130000	232000	W 211	FLWS 55
155 DR	55	100	3 5/8	7/16	223000	464000	D 211	FLDS 211
160 N	60	110	1 1/64	1/2	79000	116000	N 212	FLNS 60
160	60	110	1 7/16	1/2	116000	190000	212	FLS 60
160 W	60	110	1 15/16	1/2	156000	277000	W 212	FLWS 60
160 DR	0	110	3 7/8	1/2	267000	553000	D 212	FLDS 60
165	65	120	1 1/2	1/2	131000	227000	213	FLS 65
165	65	120	2 1/16	1/2	179000	341000	W 213	FLWS 65
165 DR	65	120	4 1/8	1/2	308000	682000	D 213	FLDS 65
170	70	125	1 5/8	1/2	143000	256000	214	FLS 70
170 W	70	125	2 3/8	1/2	204000	406000	W 214	FLWS 70
170 DR	70	125	4 3/4	1/2	350000	811000	D 214	FLDS 70
175	75	130	1 3/4	1/2	159000	301000	215	FLS 75
175 W	75	130	2 5/8	1/2	235000	496000	W 215	FLWS 75
175 DR	75	130	5 1/4	1/2	403000	993000	D 215	FLDS 75
180	80	140	1 13/16	9/16	168000	303000	216	FLS 80
180 W	80	140	2 5/8	9/16	243000	485000	W 216	FLWS 80
180 DR	80	140	5 1/4	9/16	416000	971000	D 216	FLDS 80
185	85	150	1 15/16	5/8	202000	367000	217	FLS 85
185 W	85	150	2 3/4	5/8	285000	569000	W 217	FLWS 85
185 DR	85	150	5 1/2	5/8	488000	1138000	D 217	FLDS 85

## Max Load Roller Bearings With Inner Race

Bearing Reference	Dimensions				Load Rating		Interchange	
	Bore	O D	Width	Roller Dia	Dynamic	Static	Hyatt	Pollard
190	90	160	2 1/16	11/16	239000	435000	218	FLS 90
190 W	90	160	2 13/16	11/16	318000	629000	W 218	FLWS 90
190 DR	90	160	5 5/8	11/16	537000	1245000	D 218	FLDS 90
195	95	170	2 3/16	3/4	256000	453000	219	FLS 95
195 W	95	170	3	3/4	346000	665000	W 219	FLWS 95
195 DR	95	170	6	3/4	592000	133100	D 219	FLDS 95
200	100	180	2 5/16	3/4	287000	536000	220	FLS 100
200 W	100	180	3 1/4	3/4	398000	815000	W 220	FLWS 100
200 DR	100	180	6 1/2	3/4	682000	1630000	D 220	FLDS 100
210	110	200	2 9/16	7/8	331000	594000	222	FLS 110
210 W	110	200	3 1/2	7/8	433000	839000	W 222	FLWS 110
210 DR	110	200	7	7/8	743000	1678000	D 222	FLDS 110
220	120	215	2 13/16	15/16	392000	719000	224	FLS 120
220 W	120	215	3 7/8	15/16	533000	1067000	W 224	FLWS 120
220 DR	120	215	7 3/4	15/16	914000	2135000	D 224	FLDS 120
230 SW	130	215	4 7/8	3/4	563000	1346000	SW 226	FSWS 130
230 SDR	130	215	9 3/4	3/4	966000	2692000	SD 226	FSDS 130
230	130	230	3 1/8	1	461000	866000	226	FLS 130
230 W	130	230	4 1/4	1	618000	1261000	W 226	FLWS 130
230 DR	130	230	8 1/2	1	106000	2523000	D 226	FLDS 130
240	140	250	3 1/4	1 1/16	490000	924000	228	FLS 140
240 W	140	250	4 3/4	1 1/16	690000	1435000	W 228	FLWS 140
240 DR	140	250	9 1/2	1 1/16	1182000	2871000	D 228	FLDS 140
250	150	270	3 1/2	1 3/16	590000	1106000	230	FLS 150
250 W	150	270	4 3/4	1 3/16	783000	1593000	W 230	FLWS 150
260	160	290	3 7/8	1 1/4	677000	1299000	232	FLS 160
260 W	160	290	4 7/8	1 1/4	837000	1708000	W 232	FLWS 160
260 DR	160	290	9 3/4	1 1/4	1435000	3416000	D 232	FLDS 160
270	170	310	4 1/8	1 3/8	835000	1636000	234	FLS 170
270 W	170	310	5 3/8	1 3/8	1065000	2236000	W 234	FLWS 170
270 DR	170	310	10 3/4	1 3/8	1825000	4473000	D 234	FLDS 170
280 W	180	320	5 7/8	1 3/8	1142000	2466000	W 236	FLWS 180
300	200	340	4 3/4	1 3/8	1021000	2209000	S 240	FLS 200
300 W	200	340	6 7/8	1 3/8	1415000	3361000	SW 240	FLWS 200
320 W	220	380	6 7/8	1 3/8	1397000	3411000	SW 244	FLWS 220
340	240	360	4 1/2	1 3/16	938000	2256000	S 148	
380	280	420	5	1 3/8	1121000	2675000	S 156	

## Max Load Roller Bearings Without Inner Race

Bearing Reference	Dimensions				Load Rating		Interchange	
	Bore	O D	Width	Roller Dia	Dynamic	Static	Hyatt	Pollard
130 M	1 1/2	62	13/16	5/16	39000	54000	C 206	FLS 1 1/2
130 WM	1 1/2	62	1 1/8	5/16	55000	83000	CW 206	FLWS 1 1/2
135 M	1 3/4	72	15/16	3/8	55000	76000	C 207	FLS 1 3/4
135 WM	1 3/4	72	1 3/16	3/8	70000	104000	CW 207	FLWS 1 3/4
140M	2	80	1	3/8	62000	93000	C 208	FLS 2
140 WM	2	80	1 3/8	3/8	85000	138000	CW 208	FLWS 2
145 M	2 3/16	85	1 1/8	3/8	73000	118000	C 209	FLS 2 3/16
145 WM	2 3/16	85	1 9/16	3/8	99000	174000	CW 209	FLWS 2 3/16
150 NM	2 3/8	90	7/8	3/8	61000	95000	CN 210	FLNS 2 3/8
150 M	2 3/8	90	1 1/4	3/8	87000	150000	C 210	FLS 2 3/8
150 WM	2 3/8	90	1 3/4	3/8	120000	226000	CW 210	FLWS 2 3/8
150 DRM	2 3/8	90	3 1/2	3/8	205000	452000	CD 210	FLDS 2 3/8
155 NM	2 5/8	100	1	7/16	71000	107000	CN 211	FLNS 2 5/8
155 M	2 5/8	100	1 5/16	7/16	95000	155000	C 211	FLS 2 5/8
155 WM	2 5/8	100	1 13/16	7/16	130000	232000	CW 211	FLWS 2 5/8
155 DRM	2 5/8	100	3 5/8	7/16	223000	464000	CD 211	FLDS 2 5/8
160 NM	2 7/8	110	1 1/64	1/2	79000	116000	CN 212	FLNS 2 7/8
160 M	2 7/8	110	1 7/16	1/2	116000	190000	C 212	FLS 2 7/8
160 WM	2 7/8	110	1 15/16	1/2	156000	277000	CW 212	FLWS 2 7/8
160 DRM	2 7/8	110	3 7/8	1/2	267000	553000	CD 212	FLDS 2 7/8
165 M	3 1/8	120	1 1/2	1/2	131000	227000	C 213	FLS 3 1/8
165 WM	3 1/8	120	2 1/16	1/2	179000	341000	CW 213	FLWS 3 1/8
165 DRM	3 1/8	120	4 1/8	1/2	308000	682000	CD 213	FLDS 3 1/8
170 M	3 5/16	125	1 5/8	1/2	143000	256000	C 214	FLS 3 5/16
170 WM	3 5/16	125	2 3/8	1/2	204000	406000	CW 214	FLWS 3 5/16
170 DRM	3 5/16	125	4 3/4	1/2	350000	811000	CD 214	FLDS 3 5/16
175 M	3 1/2	130	1 3/4	1/2	159000	301000	C 215	FLS 3 1/2
175 WM	3 1/2	130	2 5/8	1/2	235000	496000	CW 215	FLWS 3 1/2
175 DRM	3 1/2	130	5 1/4	1/2	403000	993000	CD 215	FLDS 3 1/2
180 M	3 3/4	140	1 13/16	9/16	168000	303000	C 216	FLS 3 3/4
180 WM	3 3/4	140	2 5/8	9/16	243000	485000	CW 216	FLWS 3 3/4
180 DRM	3 3/4	140	5 1/4	9/16	416000	971000	CD 216	FLDS 3 3/4
185 M	4	150	1 15/16	5/8	202000	367000	C 217	FLS 4
185 WM	4	150	2 3/4	5/8	285000	569000	CW 217	FLWS 4
185 DRM	4	150	5 1/2	5/8	488000	1138000	CD 217	FLDS 4

## Max Load Roller Bearings Without Inner Race

Bearing Reference	Dimensions				Load Rating		Interchange	
	Bore	O D	Width	Roller Dia	Dynamic	Static	Hyatt	Pollard
190 M	4 1/4	160	2 1/16	11/16	239000	435000	C 218	FLS 4 1/4
190 WM	4 1/4	160	2 13/16	11/16	318000	629000	CW 218	FLWS 4 1/4
190 DRM	4 1/4	160	5 5/8	11/16	537000	1245000	CD 218	FLDS 4 1/4
195 M	4 1/2	170	2 3/16	3/4	256000	453000	C 219	FLS 4 1/2
195 WM	4 1/2	170	6	3/4	346000	665000	CW 219	FLWS 4 1/2
195 DRM	4 1/2	170	6	3/4	592000	1331000	CD 219	FLDS 4 1/2
200 M	4 3/4	180	2 5/16	3/4	287000	536000	C 220	FLS 4 3/4
200 WM	4 3/4	180	3 1/4	3/4	398000	815000	CW 220	FLWS 4 3/4
200 DRM	4 3/4	180	6 1/2	3/4	682000	1630000	CD 220	FLDS 4 1/4
210 M	5 1/4	200	2 9/16	7/8	331000	594000	C 222	FLS 5 1/4
210 WM	5 1/4	200	3 1/2	7/8	433000	839000	CW 222	FLWS 5 1/4
210 DRM	5 1/4	200	7	7/8	743000	1678000	CD 222	FLDS 5 1/4
220 M	5 5/8	215	2 13/16	15/16	392000	719000	C 224	FLS 5 5/8
220 WM	5 5/8	215	3 7/8	15/16	533000	1067000	CW 224	FLWS 5 5/8
220 DRM	5 5/8	215	7 3/4	15/16	914000	2135000	CD 224	FLDS 5 5/8
230 SWM	6	215	4 7/8	3/4	563000	1346000	CSW 226	FSWS 6
230 SDRM	6	215	9 3/4	3/4	966000	2692000	CSD 226	FSDS 6
230 M	6 1/16	230	3 1/8	1	461000	866000	C 226	FLS 6 1/16
230 WM	6 1/16	230	4 1/4	1	618000	1261000	CW 226	FLWS 6 1/16
230 DRM	6 1/16	230	8 1/2	1	1060000	2523000	CD 226	FLDS 6 1/16
240 M	6 5/8	250	3 1/4	1 1/16	490000	924000	C 228	FLS 6 5/8
240 WM	6 5/8	250	4 3/4	1 1/16	690000	1435000	CW 228	FLWS 6 5/8
240 DRM	6 5/8	250	9 1/2	1 1/16	1182000	2871000	CD 228	FLDS 6 5/8
250 M	7 1/16	270	3 1/2	1 3/16	590000	1106000	C 230	FLS 7 1/16
250 WM	7 1/16	270	4 3/4	1 3/16	783000	1593000	CW 230	FLWS 7 1/16
260 M	7 5/8	290	3 7/8	1 1/4	677000	1299000	C 232	FLS 7 5/8
260 WM	7 5/8	290	4 7/8	1 1/4	837000	1708000	CW 232	FLWS 7 5/8
260 DRM	7 5/8	290	9 3/4	1 1/4	1435000	3416000	CD 232	FLDS 7 5/8
270 M	8 1/16	310	4 1/8	1 3/8	835000	1636000	C 234	FLS 8 1/16
270 WM	8 1/16	310	5 3/8	1 3/8	1065000	2236000	CW 234	FLWS 8 1/16
270 DRM	8 1/16	310	10 3/4	1 3/8	1825000	4473000	CD 234	FLDS 8 1/16
280 WM	8 15/32	320	5 7/8	1 3/8	1142000	2466000	CW 236	FLWS 8 15/32
300 M	9 1/4	340	4 3/4	1 3/8	1021000	2209000	CS 240	FLS 9 1/4
300 WM	9 1/4	340	6 7/8	1 3/8	1415000	3361000	CSW 240	FLWS 9 1/4
320 WM	10 7/16	380	6 7/8	1 3/8	1397000	3411000	CSW 244	FLWS 10 7/16
340 M	10 5/8	360	4 1/2	1 3/16	938000	2256000	CS 148	
380 M	12 3/8	420	5	1 3/8	1121000	2675000	CS 156	

## Super Load Roller Bearings With Inner Race

Bearing Reference	Dimensions				Load Rating		Interchange	
	Bore	O D	Width (ins)	Roller Dia (ins)	Dynamic	Static	Hyatt	Pollard
425	25	62	1 1/8	7/16	56000	67000	305	FMS 25
430	30	72	1 3/16	1/2	62000	73000	306	FMS 30
435	35	80	1 3/8	1/2	81000	106000	307	FMS 35
440	40	90	1 7/16	9/16	94000	124000	308	FMS 40
445	45	100	1 9/16	5/8	110000	146000	309	FMS 45
450	50	110	1 3/4	11/16	135000	183000	310	FMS 50
455	55	120	1 15/16	11/16	166000	243000	311	FMS 55
460	60	130	2 1/16	3/4	200000	311000	312	FMS 60
1460	60	130	2 1/8	3/4	200000	311000	M 312	FMMS 60
465	65	140	2 3/16	13/16	199000	287000	313	FMS 65
1465	65	140	2 5/16	13/16	210000	308000	M 313	FMMS 65
470	70	150	2 5/16	7/8	244000	363000	314	FMS 70
1470	70	150	2 1/2	7/8	263000	400000	M 314	FMMS 70
475	75	160	2 7/16	15/16	239000	344000	315	FMS 75
1475	75	160	2 11/16	15/16	265000	392000	M 315	FMMS 75
480	80	170	2 9/16	1	316000	483000	316	FMS 80
1480	80	170	2 11/16	1	331000	514000	M 316	FMMS 80
485	85	180	2 3/4	1	318000	491000	317	FMS 85
1485	85	180	2 7/8	1	332000	519000	M 317	FMMS 85
490	90	190	3	1 1/16	375000	595000	318	FMS 90
495	95	200	3 1/8	1 1/8	428000	690000	319	FMS 95
1495	95	200	3 1/16	1 1/8	420000	673000	M 319	FMMS 95
500	100	215	3 1/4	1 1/4	457000	711000	320	FMS 100
510	110	240	3 3/4	1 3/8	623000	1026000	322	FMS 110
1510	110	240	3 5/8	1 3/8	609000	997000	M 322	FMMS 110
520	120	260	4 1/8	1 3/8	678000	1163000	324	FMS 120
530	130	280	4 3/8	1 1/2	715000	1266000	326	FMS 130

## Super Load Roller Bearings Without Inner Race

Bearing Reference	Dimensions			Load Rating		Interchange		
	Bore	O D	Width	Roller Dia	Dynamic	Static	Hyatt	Pollard
425 M	1 1/4	62	1 1/8	7/16	56000	67000	C 305	FMS 1 1/4
430 M	1 1/2	72	1 3/16	1/2	62000	73000	C 306	FMS 1 1/2
435 M	1 3/4	80	1 3/8	1/2	81000	106000	C 307	FMS 1 3/4
440 M	2	90	1 7/16	9/16	94000	124000	C 308	FMS 2
445 M	2 1/4	100	1 9/16	5/8	110000	146000	C 309	FMS 2 1/4
450 M	2 1/2	110	1 3/4	11/16	135000	183000	C 310	FMS 2 1/2
455 M	2 3/4	120	1 15/16	11/16	166000	243000	C 311	FMS 2 3/4
460 M	3	130	2 1/16	3/4	200000	300000	C 312	FMS 3
1460 M	3	130	2 1/8	3/4	200000	311000	CM 312	FMMS 3
465 M	3 1/4	140	2 3/16	13/16	199000	287000	C 313	FMS 3 1/4
1465 M	3 1/4	140	2 5/16	13/16	210000	308000	CM 313	FMMS 3 1/4
470 M	3 1/2	150	2 5/16	7/8	244000	363000	C 314	FMS 3 1/2
1470 M	3 1/2	150	2 1/2	7/8	263000	400000	CM 314	FMMS 3 1/2
475 M	3 3/4	160	2 7/16	15/16	239000	344000	C 315	FMS 3 3/4
1475 M	3 3/4	160	2 11/16	15/16	265000	392000	CM 315	FMMS 3 3/4
480 M	4	170	2 9/16	1	316000	483000	C 316	FMS 4
1480 M	4	170	2 11/16	1	331000	514000	CM 316	FMMS 4
485 M	4 1/4	180	2 3/4	1	318000	491000	C 317	FMS 4 1/4
1485 M	4 1/4	180	2 7/8	1	332000	519000	CM 317	FMMS 4 1/4
490 M	4 1/2	190	3	1 1/16	375000	595000	C 318	FMS 4 1/2
495 M	4 3/4	200	3 1/8	1 1/8	428000	690000	C 319	FMS 4 3/4
1495 M	4 3/4	200	3 1/16	1 1/8	420000	673000	CM 319	FMMS 4 3/4
500 M	5	215	3 1/4	1 1/4	457000	711000	C 320	FMS 5
510 M	5 1/2	240	3 3/4	1 3/8	623000	1026000	C 322	FMS 5 1/2
1510 M	5 1/2	240	3 5/8	1 3/8	609000	997000	CM 322	FMMS 5 1/2
520 M	6 1/16	260	4 1/8	1 3/8	678000	1163000	C 324	FMS 6 1/16
530 M	6 9/16	280	4 3/8	1 1/2	715000	1266000	C 326	FMS 6 9/16

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
13001	1/2	7/8	1	3/16	HSS 13001	1/2	15/16	1	3336
13003	1/2	7/8	1 1/4	3/16	HSS 13003	1/2	15/16	1 1/4	3340
13005	1/2	7/8	1 1/2	3/16	HSS 13005	1/2	15/16	1 1/2	3344
13007	1/2	7/8	1 3/4	3/16	HSS 13007	1/2	15/16	1 3/4	3550
13008	1/2	7/8	2	3/16	HSS 13008	1/2	15/16	2	3551
14001	1/2	1	1	1/4	HSS 14001	1/2	1 1/16	1	3100
14003	1/2	1	1 1/4	1/4	HSS 14003	1/2	1 1/16	1 1/4	3232
14005	1/2	1	1 1/2	1/4	HSS 14005	1/2	1 1/16	1 1/2	3101
14007	1/2	1	1 3/4	1/4	HSS 14007	1/2	1 1/16	1 3/4	3286
14008	1/2	1	2	1/4	HSS 14008	1/2	1 1/16	2	3102
13902	9/16	15/16	1	3/16	HSS 13902	9/16	1	1	3345
13904	9/16	15/16	1 1/4	3/16	HSS 13904	9/16	1	1 1/4	3253
13906	9/16	15/16	1 7/16	3/16	HSS 13906	9/16	1	1 7/16	3300
13907	9/16	15/16	1 1/2	3/16	HSS 13907	9/16	1	1 1/2	3301
13909	9/16	15/16	1 3/4	3/16	HSS 13909	9/16	1	1 3/4	3246
13910	9/16	15/16	2	3/16	HSS 13910	9/16	1	2	3552
23002	5/8	1	1	3/16	HSS 23002	5/8	1 1/16	1	3100
23004	5/8	1	1 1/4	3/16	HSS 23004	5/8	1 1/16	1 1/4	3232
23005	5/8	1	1 1/2	3/16	HSS 23005	5/8	1 1/16	1 1/2	3101
23006	5/8	1	1 3/4	3/16	HSS 23006	5/8	1 1/16	1 3/4	3286
23007	5/8	1	2	3/16	HSS 23007	5/8	1 1/16	2	3102
24000	5/8	1 1/8	1	1/4	HSS 24000	5/8	1 3/16	1	3103
24001	5/8	1 1/8	1 1/4	1/4	HSS 24001	5/8	1 3/16	1 1/4	3227
24002	5/8	1 1/8	1 1/2	1/4	HSS 24002	5/8	1 3/16	1 1/2	3104
24003	5/8	1 1/8	1 3/4	1/4	HSS 24003	5/8	1 3/16	1 3/4	3196
24004	5/8	1 1/8	2	1/4	HSS 24004	5/8	1 3/16	2	3105

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
33002	3/4	1 1/8	1	3/16	HSS 33002	3/4	1 3/16	1	3103
33003	3/4	1 1/8	1 1/4	3/16	HSS 33003	3/4	1 3/16	1 1/4	3227
33004	3/4	1 1/8	1 3/8	3/16	HSS 33004	3/4	1 3/16	1 3/8	3228
33005	3/4	1 1/8	1 1/2	3/16	HSS 33005	3/4	1 3/16	1 1/2	3104
33007	3/4	1 1/8	1 3/4	3/16	HSS 33007	3/4	1 3/16	1 3/4	3196
33008	3/4	1 1/8	2	3/16	HSS 33008	3/4	1 3/16	2	3105
34000	3/4	1 1/4	1	1/4	HSS 34000	3/4	1 5/16	1	3178
34002	3/4	1 1/4	1 1/4	1/4	HSS 34002	3/4	1 5/16	1 1/4	3312
34003	3/4	1 1/4	1 3/8	1/4	HSS 34003	3/4	1 5/16	1 3/8	3553
34004	3/4	1 1/4	1 1/2	1/4	HSS 34004	3/4	1 5/16	1 1/2	3179
34005	3/4	1 1/4	1 3/4	1/4	HSS 34005	3/4	1 5/16	1 3/4	3209
34006	3/4	1 1/4	2	1/4	HSS 34006	3/4	1 5/16	2	3180
FF0217	13/16	1 5/16	1 1/2	1 1/4					
35000	3/4	1 3/8	1	5/16	HSS 35000	3/4	1 7/16	1	3106
35002	3/4	1 3/8	1 1/2	5/16	HSS 35002	3/4	1 7/16	1 1/2	3107
35006	3/4	1 3/8	1 3/4	5/16	HSS 35006	3/4	1 7/16	1 3/4	3188
35003	3/4	1 3/8	2	5/16	HSS 35003	3/4	1 7/16	2	3108
35005	3/4	1 3/8	2 1/2	5/16	HSS 35005	3/4	1 7/16	2 1/2	3109
43001	7/8	1 1/4	1	3/16	HSS 43001	7/8	1 5/16	1	3178
43002	7/8	1 1/4	1 1/4	3/16	HSS 43002	7/8	1 5/16	1 1/4	3312
43003	7/8	1 1/4	1 1/2	3/16	HSS 43003	7/8	1 5/16	1 1/2	3179
43004	7/8	1 1/4	1 3/4	3/16	HSS 43004	7/8	1 5/16	1 3/4	3209
43005	7/8	1 1/4	2	3/16	HSS 43005	7/8	1 5/16	2	3180
44001	7/8	1 3/8	1	1/4	HSS 44001	7/8	1 7/16	1	3106
44002	7/8	1 3/8	1 1/4	1/4	HSS 44002	7/8	1 7/16	1 1/4	3189
44003	7/8	1 3/8	1 3/8	1/4	HSS 44003	7/8	1 7/16	1 3/8	3289
44004	7/8	1 3/8	1 1/2	1/4	HSS 44004	7/8	1 7/16	1 1/2	3107
44006	7/8	1 3/8	1 3/4	1/4	HSS 44006	7/8	1 7/16	1 3/4	3188
44007	7/8	1 3/8	2	1/4	HSS 44007	7/8	1 7/16	2	3108
44009	7/8	1 3/8	2 1/2	1/4	HSS 44009	7/8	1 7/16	2 1/2	3109

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
45000	7/8	1 1/2	1	5/16	HSS 45000	7/8	1 9/16	1	3110
45001	7/8	1 1/2	1 1/2	5/16	HSS 45001	7/8	1 9/16	1 1/2	3111
45002	7/8	1 1/2	1 3/4	5/16	HSS 45002	7/8	1 9/16	1 3/4	3190
45003	7/8	1 1/2	2	5/16	HSS 45003	7/8	1 9/16	2	3112
45006	7/8	1 1/2	2 1/2	5/16	HSS 45006	7/8	1 9/16	2 1/2	3113
53000	1	1 3/8	1	3/16	HSS 53000	1	1 7/16	1	3106
53008	1	1 3/8	1 1/4	3/16	HSS 53008	1	1 7/16	1 1/4	3189
53001	1	1 3/8	1 1/2	3/16	HSS 53001	1	1 7/16	1 1/2	3107
53009	1	1 3/8	1 5/8	3/16	HSS 53009	1	1 7/16	1 5/8	3210
53002	1	1 3/8	1 3/4	3/16	HSS 53002	1	1 7/16	1 3/4	3188
53010	1	1 3/8	1 7/8	3/16	HSS 53010	1	1 7/16	1 7/8	3331
53003	1	1 3/8	2	3/16	HSS 53003	1	1 7/16	2	3108
53004	1	1 3/8	2 1/4	3/16	HSS 53004	1	1 7/16	2 1/4	3201
53012	1	1 3/8	2 1/2	3/16					
54000	1	1 1/2	1	1/4	HSS 54000	1	1 9/16	1	3110
54002	1	1 1/2	1 1/4	1/4	HSS 54002	1	1 9/16	1 1/4	3187
54003	1	1 1/2	1 1/2	1/4	HSS 54003	1	1 9/16	1 1/2	3111
54004	1	1 1/2	1 5/8	1/4	HSS 54004	1	1 9/16	1 5/8	3295
54005	1	1 1/2	1 3/4	1/4	HSS 54005	1	1 9/16	1 3/4	3190
54006	1	1 1/2	2	1/4	HSS 54006	1	1 9/16	2	3112
54007	1	1 1/2	2 1/4	1/4	HSS 54007	1	1 9/16	2 1/4	3211
54009	1	1 1/2	2 1/2	1/4	HSS 54009	1	1 9/16	2 1/2	3113
55004	1	1 5/8	1	5/16	SS 55004	1	1 13/16	1	3185
55000	1	1 5/8	1 1/2	5/16	SS 55000	1	1 13/16	1 1/2	3183
55001	1	1 5/8	1 3/4	5/16	SS 55001	1	1 13/16	1 3/4	3212
55002	1	1 5/8	2	5/16	SS 55002	1	1 13/16	2	3182
55003	1	1 5/8	2 1/2	5/16	SS 55003	1	1 13/16	2 1/2	3184
55006	1	1 5/8	3	5/16	SS 55006	1	1 13/16	3	3352

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
56000	1	1 3/4	1	3/8	SS 56000	1	1 15/16	1	3114
56001	1	1 3/4	1 1/2	3/8	SS 56001	1	1 15/16	1 1/2	3115
56008	1	1 3/4	1 3/4	3/8	SS 56008	1	1 15/16	1 3/4	3220
56002	1	1 3/4	2	3/8	SS 56002	1	1 15/16	2	3116
56003	1	1 3/4	2 1/2	3/8	SS 56003	1	1 15/16	2 1/2	3117
56004	1	1 3/4	3	3/8	SS 56004	1	1 15/16	3	3118
63005	1 1/8	1 1/2	1	3/16	HSS 63005	1 1/8	1 9/16	1	3110
63000	1 1/8	1 1/2	1 1/4	3/16	HSS 63000	1 1/8	1 9/16	1 1/4	3187
63001	1 1/8	1 1/2	1 1/2	3/16	HSS 63001	1 1/8	1 9/16	1 1/2	3111
63002	1 1/8	1 1/2	1 3/4	3/16	HSS 63002	1 1/8	1 9/16	1 3/4	3190
63003	1 1/8	1 1/2	2	3/16	HSS 63003	1 1/8	1 9/16	2	3112
63009	1 1/8	1 1/2	2 1/4	3/16	HSS 63009	1 1/8	1 9/16	2 1/4	3211
64009	1 1/8	1 5/8	1	1/4	SS 64009	1 1/8	1 13/16	1	3185
64000	1 1/8	1 5/8	1 1/4	1/4	SS 64000	1 1/8	1 13/16	1 1/4	3214
64001	1 1/8	1 5/8	1 3/8	1/4	SS 64001	1 1/8	1 13/16	1 3/8	3554
64002	1 1/8	1 5/8	1 1/2	1/4	SS 64002	1 1/8	1 13/16	1 1/2	3183
64003	1 1/8	1 5/8	1 5/8	1/4	SS 64003	1 1/8	1 13/16	1 5/8	3555
64004	1 1/8	1 5/8	1 3/4	1/4	SS 64004	1 1/8	1 13/16	1 3/4	3212
64005	1 1/8	1 5/8	2	1/4	SS 64005	1 1/8	1 13/16	2	3182
64006	1 1/8	1 5/8	2 1/4	1/4	SS 64006	1 1/8	1 13/16	2 1/4	3556
64007	1 1/8	1 5/8	2 1/2	1/4	SS 64007	1 1/8	1 13/16	2 1/2	3184
65003	1 1/8	1 3/4	1	5/16	SS 65003	1 1/8	1 15/16	1	3114
65005	1 1/8	1 3/4	1 1/2	5/16	SS 65005	1 1/8	1 15/16	1 1/2	3115
65006	1 1/8	1 3/4	1 3/4	5/16	SS 65006	1 1/8	1 15/16	1 3/4	3220
65000	1 1/8	1 3/4	2	5/16	SS 65000	1 1/8	1 15/16	2	3116
65001	1 1/8	1 3/4	2 1/4	5/16	SS 65001	1 1/8	1 15/16	2 1/4	3215
65002	1 1/8	1 3/4	2 1/2	5/16	SS 65002	1 1/8	1 15/16	2 1/2	3128
67005	1 1/8	2	1	7/16	SS 67005	1 1/8	2 3/16	1	3222
67000	1 1/8	2	2	7/16	SS 67000	1 1/8	2 3/16	2	3121
67001	1 1/8	2	2 1/2	7/16	SS 67001	1 1/8	2 3/16	2 1/2	3122
67002	1 1/8	2	3	7/16	SS 67002	1 1/8	2 3/16	3	3123
67003	1 1/8	2	4	7/16	SS 67003	1 1/8	2 3/16	4	3124

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
11875	1 3/16	2 3/16	2	1/2	SS 11875	1 3/16	2 3/8	2	3125
11876	1 3/16	2 3/16	2 1/2	1/2	SS 11876	1 3/16	2 3/8	2 1/2	3126
11877	1 3/16	2 3/16	3	1/2	SS 11877	1 3/16	2 3/8	3	3127
11878	1 3/16	2 3/16	4	1/2	SS 11878	1 3/16	2 3/8	4	3128
73000	1 1/4	1 5/8	1	3/16	HSS 73000	1 1/4	1 11/16	1	3244
73006	1 1/4	1 5/8	1 1/4	3/16	HSS 73006	1 1/4	1 11/16	1 1/4	3355
73008	1 1/4	1 5/8	1 1/2	3/16	HSS 73008	1 1/4	1 11/16	1 1/2	3557
73001	1 1/4	1 5/8	1 3/4	3/16	HSS 73001	1 1/4	1 11/16	1 3/4	3558
73002	1 1/4	1 5/8	2	3/16	HSS 73002	1 1/4	1 11/16	2	3358
73003	1 1/4	1 5/8	2 1/4	3/16	HSS 73003	1 1/4	1 11/16	2 1/4	3559
74001	1 1/4	1 3/4	1	1/4	SS 74001	1 1/4	1 15/16	1	3144
74002	1 1/4	1 3/4	1 1/4	1/4	SS 74002	1 1/4	1 15/16	1 1/4	3213
74003	1 1/4	1 3/4	1 1/2	1/4	SS 74003	1 1/4	1 15/16	1 1/2	3115
74004	1 1/4	1 3/4	1 5/8	1/4	SS 74004	1 1/4	1 15/16	1 5/8	3248
74011	1 1/4	1 3/4	1 3/4	1/4	SS 74011	1 1/4	1 15/16	1 3/4	3220
74005	1 1/4	1 3/4	2	1/4	SS 74005	1 1/4	1 15/16	2	3116
74006	1 1/4	1 3/4	2 1/4	1/4	SS 74006	1 1/4	1 15/16	2 1/4	3215
74007	1 1/4	1 3/4	2 1/2	1/4	SS 74007	1 1/4	1 15/16	2 1/2	3117
74014	1 1/4	1 3/4	3	1/4	SS 74014	1 1/4	1 15/16	3	3118
75000	1 1/4	1 7/8	1	5/16	SS 75000	1 1/4	2 1/16	1	3560
75001	1 1/4	1 7/8	1 1/2	5/16	SS 75001	1 1/4	2 1/16	1 1/2	3561
75002	1 1/4	1 7/8	2	5/16	SS 75002	1 1/4	2 1/16	2	3283
75003	1 1/4	1 7/8	2 1/2	5/16	SS 75003	1 1/4	2 1/16	2 1/2	3218
75007	1 1/4	1 7/8	3	5/16	SS 75007	1 1/4	2 1/16	3	3284

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
76000	1 1/4	2	1	3/8	SS 76000	1 1/4	2 3/16	1	3222
76005	1 1/4	2	1 1/2	3/8	SS 76005	1 1/4	2 3/16	1 1/2	3256
76010	1 1/4	2	1 3/4	3/8	SS 76010	1 1/4	2 3/16	1 3/4	3562
76006	1 1/4	2	2	3/8	SS 76006	1 1/4	2 3/16	2	3121
76007	1 1/4	2	2 1/4	3/8	SS 76007	1 1/4	2 3/16	2 1/4	3333
76008	1 1/4	2	2 1/2	3/8	SS 76008	1 1/4	2 3/16	2 1/2	3122
76009	1 1/4	2	3	3/8	SS 76009	1 1/4	2 3/16	3	3123
77001	1 1/4	2 1/8	1 1/8	7/16	SS 77001	1 1/4	2 5/16	1 1/8	3563
77005	1 1/4	2 1/8	1 1/2	7/16	SS 77005	1 1/4	2 5/16	1 1/2	3223
77009	1 1/4	2 1/8	3	7/16	SS 77009	1 1/4	2 5/16	3	3257
78009	1 1/4	2 1/4	1 1/2	1/2	SS 78009	1 1/4	2 7/16	1 1/2	3224
78000	1 1/4	2 1/4	2	1/2	SS 78000	1 1/4	2 7/16	2	3129
78001	1 1/4	2 1/4	2 1/2	1/2	SS 78001	1 1/4	2 7/16	2 1/2	3130
78002	1 1/4	2 1/4	3	1/2	SS 78002	1 1/4	2 7/16	3	3131
78003	1 1/4	2 1/4	4	1/2	SS 78003	1 1/4	2 7/16	4	3132
78004	1 1/4	2 1/4	5	1/2	SS 78004	1 1/4	2 7/16	5	3133
83000	1 3/8	1 3/4	1	3/16	SS 83000	1 3/8	1 15/16	1	3114
83008	1 3/8	1 3/4	1 1/4	3/16	SS 83008	1 3/8	1 15/16	1 1/4	3213
83001	1 3/8	1 3/4	1 1/2	3/16	SS 83001	1 3/8	1 15/16	1 1/2	3115
83002	1 3/8	1 3/4	1 3/4	3/16	SS 83002	1 3/8	1 15/16	1 3/4	3220
83003	1 3/8	1 3/4	2	3/16	SS 83003	1 3/8	1 15/16	2	3116
84006	1 3/8	1 7/8	1	1/4	SS 84006	1 3/8	2 1/16	1	3564
84008	1 3/8	1 7/8	1 1/4	1/4	SS 84008	1 3/8	2 1/16	1 1/4	3256
84010	1 3/8	1 7/8	1 1/2	1/4	SS 84010	1 3/8	2 1/16	1 1/2	3566
84001	1 3/8	1 7/8	1 3/4	1/4	SS 84001	1 3/8	2 1/16	1 3/4	3567
84002	1 3/8	1 7/8	2	1/4	SS 84002	1 3/8	2 1/16	2	3283
84003	1 3/8	1 7/8	2 1/4	1/4	SS 84003	1 3/8	2 1/16	2 1/4	3568
84004	1 3/8	1 7/8	2 1/2	1/4	SS 84004	1 3/8	2 1/16	2 1/2	3218

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
85000	1 3/8	2	1	5/16	SS 85000	1 3/8	2 3/16	1	3222
85005	1 3/8	2	1 1/2	5/16	SS 85005	1 3/8	2 3/16	1 1/2	3256
85003	1 3/8	2	1 3/4	5/16	SS 85003	1 3/8	2 3/16	1 3/4	3569
85006	1 3/8	2	2	5/16	SS 85006	1 3/8	2 3/16	2	3121
85007	1 3/8	2	2 1/4	5/16	SS 85007	1 3/8	2 3/16	2 1/4	3333
85001	1 3/8	2	2 1/2	5/16	SS 85001	1 3/8	2 3/16	2 1/2	3122
85002	1 3/8	2	3	5/16	SS 85002	1 3/8	2 3/16	3	3123
14375	1 7/16	2 9/16	2	9/16	SS 14375	1 7/16	2 3/4	2	3191
14376	1 7/16	2 9/16	2 1/2	9/16	SS 14376	1 7/16	2 3/4	2 1/2	3192
14377	1 7/16	2 9/16	3	9/16	SS 14377	1 7/16	2 3/4	3	3193
14378	1 7/16	2 9/16	4	9/16	SS 14378	1 7/16	2 3/4	4	3194
14379	1 7/16	2 9/16	5	9/16	SS 14379	1 7/16	2 3/4	5	3195
94000	1 1/2	2	1	1/4	SS 94000	1 1/2	2 3/16	1	3222
94001	1 1/2	2	1 1/4	1/4	SS 94001	1 1/2	2 3/16	1 1/4	3570
94008	1 1/2	2	1 1/2	1/4	SS 94008	1 1/2	2 3/16	1 1/2	3256
94010	1 1/2	2	1 3/4	1/4	SS 94010	1 1/2	2 3/16	1 3/4	3571
94002	1 1/2	2	2	1/4	SS 94002	1 1/2	2 3/16	2	3121
94003	1 1/2	2	2 1/4	1/4	SS 94003	1 1/2	2 3/16	2 1/4	3333
94004	1 1/2	2	2 1/2	1/4	SS 94004	1 1/2	2 3/16	2 1/2	3122
95000	1 1/2	2 1/8	1	5/16	SS 95000	1 1/2	2 5/16	1	3572
95001	1 1/2	2 1/8	1 1/4	5/16	SS 95001	1 1/2	2 5/16	1 1/4	3573
95005	1 1/2	2 1/8	1 1/2	5/16	SS 95005	1 1/2	2 5/16	1 1/2	3223
95002	1 1/2	2 1/8	1 3/4	5/16	SS 95002	1 1/2	2 5/16	1 3/4	3288
95003	1 1/2	2 1/8	2	5/16	SS 95003	1 1/2	2 5/16	2	3226
95004	1 1/2	2 1/8	2 1/2	5/16	SS 95004	1 1/2	2 5/16	2 1/2	3207
96000	1 1/2	2 1/4	1	3/8	SS 96000	1 1/2	2 7/16	1	3574
96004	1 1/2	2 1/4	1 1/2	3/8	SS 96004	1 1/2	2 7/16	1 1/2	3224
96006	1 1/2	2 1/4	2	3/8	SS 96006	1 1/2	2 7/16	2	3129
96008	1 1/2	2 1/4	2 1/2	3/8	SS 96008	1 1/2	2 7/16	2 1/2	3130
96009	1 1/2	2 1/4	3	3/8	SS 96009	1 1/2	2 7/16	3	3131

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
98006	1 1/2	2 1/2	2	1/2	SS 98006	1 1/2	2 11/16	2	3341
98008	1 1/2	2 1/2	2 1/2	1/2	SS 98008	1 1/2	2 11/16	2 1/2	3231
98009	1 1/2	2 1/2	3	1/2	SS 98009	1 1/2	2 11/16	3	3575
99003	1 1/2	2 5/8	2	9/16	SS 99003	1 1/2	2 13/16	2	3143
99004	1 1/2	2 5/8	2 1/2	9/16	SS 99004	1 1/2	2 13/16	2 1/2	3144
99005	1 1/2	2 5/8	3	9/16	SS 99005	1 1/2	2 13/16	3	3145
99006	1 1/2	2 5/8	4	9/16	SS 99006	1 1/2	2 13/16	4	3146
99007	1 1/2	2 5/8	5	9/16	SS 99007	1 1/2	2 13/16	5	3147
19003	1 5/8	2 3/4	2	9/16	SS 19003	1 5/8	2 15/16	2	3148
19005	1 5/8	2 3/4	2 1/2	9/16	SS 19005	1 5/8	2 15/16	2 1/2	3149
19006	1 5/8	2 3/4	3	9/16	SS 19006	1 5/8	2 15/16	3	3150
19007	1 5/8	2 3/4	4	9/16	SS 19007	1 5/8	2 15/16	4	3151
19008	1 5/8	2 3/4	5	9/16	SS 19008	1 5/8	2 15/16	5	3576
14100	1 3/4	2 1/4	1	1/4	SS 14100	1 3/4	2 7/16	1	3577
14102	1 3/4	2 1/4	1 1/2	1/4	SS 14102	1 3/4	2 7/16	1 1/2	3224
14104	1 3/4	2 1/4	2	1/4	SS 14104	1 3/4	2 7/16	2	3129
14107	1 3/4	2 1/4	2 1/2	1/4	SS 14107	1 3/4	2 7/16	2 1/2	3130
14106	1 3/4	2 1/4	3	1/4	SS 14106	1 3/4	2 7/16	3	3131
15100	1 3/4	2 3/8	1	5/16	SS 15100	1 3/4	2 9/16	1	3578
15102	1 3/4	2 3/8	1 1/2	5/16	SS 15102	1 3/4	2 9/16	1 1/2	3579
15104	1 3/4	2 3/8	2	5/16	SS 15104	1 3/4	2 9/16	2	3134
15106	1 3/4	2 3/8	2 1/2	5/16	SS 15106	1 3/4	2 9/16	2 1/2	3135
15107	1 3/4	2 3/8	3	5/16	SS 15107	1 3/4	2 9/16	3	3136
17500	1 3/4	2 7/8	2	9/16	SS 17500	1 3/4	3 1/16	2	3152
17509	1 3/4	2 7/8	2 1/2	9/16	SS 17509	1 3/4	3 1/16	2 1/2	3580
17501	1 3/4	2 7/8	3	9/16	SS 17501	1 3/4	3 1/16	3	3153
17502	1 3/4	2 7/8	4	9/16	SS 17502	1 3/4	3 1/16	4	3154
17503	1 3/4	2 7/8	5	9/16	SS 17503	1 3/4	3 1/16	5	3155

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
18757	1 7/8	3	2	9/16	SS 18757	1 7/8	3 3/16	2	3157
18759	1 7/8	3	2 1/2	9/16	SS 18759	1 7/8	3 3/16	2 1/2	3275
18750	1 7/8	3	3	9/16	SS 18750	1 7/8	3 3/16	3	3158
18751	1 7/8	3	4	9/16	SS 18751	1 7/8	3 3/16	4	3159
18752	1 7/8	3	5	9/16	SS 18752	1 7/8	3 3/16	5	3160
28002	2	3	2	1/2	SS 28002	2	3 3/16	2	3157
28004	2	3	2 1/2	1/2	SS 28004	2	3 3/16	2 1/2	3275
28005	2	3	3	1/2	SS 28005	2	3 3/16	3	3158
28008	2	3	3 1/2	1/2	SS 28008	2	3 3/16	3 1/2	3262
28006	2	3	4	1/2	SS 28006	2	3 3/16	4	3159
28007	2	3	5	1/2	SS 28007	2	3 3/16	5	3160
20005	2	3 1/4	2	5/8	SS 20005	2	3 1/2	2	3581
20007	2	3 1/4	2 1/2	5/8	SS 20007	2	3 1/2	2 1/2	3582
20000	2	3 1/4	3	5/8	SS 20000	2	3 1/2	3	3161
20008	2	3 1/4	3 1/2	5/8	SS 20008	2	3 1/2	3 1/2	3221
20001	2	3 1/4	4	5/8	SS 20001	2	3 1/2	4	3162
20002	2	3 1/4	5	5/8	SS 20002	2	3 1/2	5	3163
13202	2	3 3/4	2	7/8	SS 13202	2	4	2	3583
13204	2	3 3/4	2 1/2	7/8	SS 13204	2	4	2 1/2	3265
13205	2	3 3/4	3	7/8	SS 13205	2	4	3	3299
13206	2	3 3/4	4	7/8	SS 13206	2	4	4	3289
13207	2	3 3/4	5	7/8	SS 13207	2	4	5	3317
13208	2	3 3/4	6	7/8	SS 13208	2	4	6	3584
14200	2 1/4	2 3/4	1	1/4	SS 14200	2 1/4	2 15/16	1	3585
14202	2 1/4	2 3/4	1 1/2	1/4	SS 14202	2 1/4	2 15/16	1 1/2	3586
14204	2 1/4	2 3/4	2	1/4	SS 14204	2 1/4	2 15/16	2	3148
14206	2 1/4	2 3/4	2 1/2	1/4	SS 14206	2 1/4	2 15/16	2 1/2	3149
14207	2 1/4	2 3/4	3	1/4	SS 14207	2 1/4	2 15/16	3	3150

## Hy Load Roller Assemblies

### Roller Assembly

### Roller Assembly With Split Outer Sleeve

Bearing Reference	Dimensions			Roller Diameter	Bearing Reference	Dimensions			Sleeve Reference
	Bore	O D	Width			Bore	O D	Width	
15202	2 1/4	3 1/2	2	5/8	SS 15202	2 1/4	3 3/4	2	3587
15204	2 1/4	3 1/2	2 1/2	5/8	SS 15204	2 1/4	3 3/4	2 1/2	3208
15205	2 1/4	3 1/2	3	5/8	SS 15205	2 1/4	3 3/4	3	3588
15206	2 1/4	3 1/2	4	5/8	SS 15206	2 1/4	3 3/4	4	3589
15207	2 1/4	3 1/2	5	5/8	SS 15207	2 1/4	3 3/4	5	3590
16205	2 1/4	4	3	7/8	SS 16205	2 1/4	4 1/4	3	3164
16206	2 1/4	4	4	7/8	SS 16206	2 1/4	4 1/4	4	3165
16207	2 1/4	4	5	7/8	SS 16207	2 1/4	4 1/4	5	3166
16208	2 1/4	4	6	7/8	SS 16208	2 1/4	4 1/4	6	3167
25502	2 1/2	3 1/2	2	1/2	SS 25502	2 1/2	3 3/4	2	3591
25504	2 1/2	3 1/2	2 1/2	1/2	SS 25504	2 1/2	3 3/4	2 1/2	3208
25505	2 1/2	3 1/2	3	1/2	SS 25505	2 1/2	3 3/4	3	3592
25506	2 1/2	3 1/2	4	1/2	SS 25506	2 1/2	3 3/4	4	3593
25102	2 1/2	3 3/4	2	5/8	SS 25102	2 1/2	4	2	3594
25104	2 1/2	3 3/4	2 1/2	5/8	SS 25104	2 1/2	4	2 1/2	3265
25105	2 1/2	3 3/4	3	5/8	SS 25105	2 1/2	4	3	3299
25108	2 1/2	3 3/4	3 1/2	5/8	SS 25108	2 1/2	4	3 1/2	3264
25106	2 1/2	3 3/4	4	5/8	SS 25106	2 1/2	4	4	3289
18205	2 1/2	4 3/8	3	15/16	SS 18205	2 1/2	4 5/8	3	3168
18206	2 1/2	4 3/8	4	15/16	SS 18206	2 1/2	4 5/8	4	3169
18207	2 1/2	4 3/8	5	15/16	SS 18207	2 1/2	4 5/8	5	3170
18208	2 1/2	4 3/8	6	15/16	SS 18208	2 1/2	4 5/8	6	3171
21203	2 3/4	4 5/6	4	15/16	SS 21203	2 3/4	4 7/8	4	3172
21204	2 3/4	4 5/6	5	15/16	SS 21204	2 3/4	4 7/8	5	3173
21205	2 3/4	4 5/6	6	15/16	SS 21205	2 3/4	4 7/8	6	3174
24203	3	4 1/2	4	3/4	SS 24203	3	4 3/4	4	3595
24204	3	4 1/2	5	3/4	SS 24204	3	4 3/4	5	3287
24205	3	4 1/2	6	3/4	SS 24205	3	4 3/4	6	3596
25205	3	5	4	1	SS 25205	3	5 1/4	4	3175
25206	3	5	5	1	SS 25206	3	5 1/4	5	3176
25207	3	5	6	1	SS 25207	3	5 1/4	6	3177

## Hy Load Roller Assemblies With Solid Outer Race

Bearing Reference	Dimensions			Roller Diameter
	Bore	O D	Width	
SO 14001	1/2	1 3/16	1	1/4
SO 14005	1/2	1 3/16	1 1/2	1/4
SO 14008	1/2	1 3/16	2	1/4
SO 23002	5/8	1 3/16	1	3/16
SO 23005	5/8	1 3/16	1 1/2	3/16
SO 23007	5/8	1 3/16	2	3/16
SO 24000	5/8	1 3/8	1	1/4
SO 24002	5/8	1 3/8	1 1/2	1/4
SO 24004	5/8	1 3/8	2	1/4
SO 33002	3/4	1 3/8	1	3/16
SO 33005	3/4	1 3/8	1 1/2	3/16
SO 33008	3/4	1 3/8	2	3/16
SO 34000	3/4	1 1/2	1	1/4
SO 34004	3/4	1 1/2	1 1/2	1/4
SO 34006	3/4	1 1/2	2	1/4
SO 35000	3/4	1 11/16	1	5/16
SO 35002	3/4	1 11/16	1 1/2	5/16
SO 35003	3/4	1 11/16	2	5/16
SO 43001	7/8	1 1/2	1	3/16
SO 43003	7/8	1 1/2	1 1/2	3/16
SO 43005	7/8	1 1/2	2	3/16

# Hy Load Roller Assemblies With Solid Outer Race

Bearing Reference	Dimensions			Roller Diameter
	Bore	O D	Width	
SO 44001	7/8	1 11/16	1	1/4
SO 44004	7/8	1 11/16	1 1/2	1/4
SO 44007	7/8	1 11/16	2	1/4
SO 45000	7/8	1 13/16	1	5/16
SO 45001	7/8	1 13/16	1 1/2	5/16
SO 45003	7/8	1 13/16	2	5/16
SO 45006	7/8	1 13/16	2 1/2	5/16
SO 53000	1	1 11/16	1	3/16
SO 53001	1	1 11/16	1 1/2	3/16
SO 53002	1	1 11/16	1 3/4	3/16
SO 53003	1	1 11/16	2	3/16
SO 54000	1	1 13/16	1	1/4
SO 54003	1	1 13/16	1 1/2	1/4
SO 54006	1	1 13/16	2	1/4
SO 54009	1	1 13/16	2 1/2	1/4
SO 64009	1 1/8	2	1	1/4
SO 64002	1 1/8	2	1 1/2	1/4
SO 64005	1 1/8	2	2	1/4
SO 64007	1 1/8	2	2 1/2	1/4
SO 67000	1 1/8	2 3/8	2	7/16
SO 67001	1 1/8	2 3/8	2 1/2	7/16
SO 67002	1 1/8	2 3/8	3	7/16
SO 74001	1 1/4	2 1/8	1	1/4
SO 74003	1 1/4	2 1/8	1 1/2	1/4
SO 74005	1 1/4	2 1/8	2	1/4
SO 74007	1 1/4	2 1/8	2 1/2	1/4